



1060 Holland Dr: Suite A  
Boca Raton, FL 33487  
Nationwide: (877) 722-6339  
Local: (561) 288-9028  
Fax: (561) 288-3929  
<http://www.claritydiagnostics.com>

### Safety Data Sheet

#### Section 1: Identification

**Product Name:** Clarity Immunological Fecal Occult Blood Test with Sample Collection Tube

**Synonyms:** DTG-FOB01, DTG-FOB01KIT, DTG-FOB02, DTG-FOB30, DTG-FOB50, DTG-FOBPPK25, OTC-IFOBT

**CAS Number:** N/A

**Manufacturer:** Clarity Diagnostics, LLC

**Address:** 1060 Holland Dr. Suite A Boca Raton, FL 33487

**Contact:** 1(877) 722-6339

**Recommended use:** A rapid, convenient and odorless qualitative, sandwich dye conjugate immunoassay for the determination of hemoglobin in feces and is a useful aid in the diagnosis and therapy of gastrointestinal disorders.

#### Section 2: Hazard(s) Identification

**GHS Classification:**

Health	Environmental	Physical
N/A	N/A	N/A

**GHS Label:**

Symbols	
<b>Hazard Statements</b> Non Flammable Not Fatal if inhaled Lead and other heavy metals not used in/on device.	<b>Precautionary Statements</b> Wear protective eye and face protection Wear gloves.

#### Section 3: Composition/Information on Ingredients

Effective Date: 05/27/2015

Component	CAS Number	Weight
N/A	N/A	N/A
<b>See Section 8 For Exposure Limits</b>		

#### Section 4: First-Aid Measures

**Eyes:** Rinse eyes if contacted by desiccant granules or buffer solution.

**Ingestion:** If ingested, contact physician for further care.

#### Section 5: Fire-Fighting Measures

**Suitable Extinguishing Media:** Use Media appropriate for surrounded materials

**Fire Fighting Procedures:** Water, CO<sub>2</sub>, Dry Chemical, or foam.

**Unusual Fire and Explosion Hazards:** None Known

**Combustion Products:** None

#### Section 6: Accidental Release Measures

**Accidental release measures:** Spilled buffer should be wiped up and area cleaned; If spilled, refer to your federal, state, and local requirements for proper dispose of product. Wash down drain and flush with excess water for liquid spill.

#### Section 7: Handling and Storage

**Handling:** Room temperature storage for product longevity – more extreme conditions do not present safety hazard

#### Section 8: Exposure Controls/Personal Protection

**Exposure Limits**

**Components:** None

**Engineering Controls:** None

**Personal Protective Equipment (PPE):** Refer to product insert for appropriate PPE during use. Applicable PPE for use environment.

**Eye Protection:** Wear Safety Glasses or full face shield

**Skin Protection:** Wear protective clothing and gloves, remove all clothing if contaminated

**Respiratory Protection:** None required

#### Section 9: Physical and Chemical Properties

**Flashpoint:** N.A

**Auto Ignition Temperature:** N.A.

**Boiling Point:** N.A

**Melting Point:**<0.1

**Vapor Pressure:**<0.1

**Vapor Density (Air=1):**

**% Solubility in Water:**N.A.

**Pour Point:** N.A.

**Molecular Formula:** N.A.

**Odor/Appearance:** Odorless solid/ Plastic Cassette Sealed in foil pouch.

**Lower Flammability Limit:** N.A.

**Upper Flammability Limit:** N.A

**Specific Gravity:**<0.1

**% Volatile:** N.A.

**Evaporation Rate (Water=1):** N.A.

**Viscosity:** N.A.

**Octanol/Water Partition Coefficient:** N.A

**pH:** N.A.

**Molecular Weight:** N.A

## Section 10: Stability and Reactivity

**Stability and reactivity:** Stable. No dangerous reactions known for device. See insert or Certificate of Analysis for use of individual product.

**Hazardous Reactions/Decomposition Products:** Will not occur/Products and incompatibility are not known

## Section 11: Toxicological Information

**Signs and Symptoms of Overexposure:** No effects of overexposure

**Acute Effects:** None

**Eye Contact:** May cause conjunctival irritation.

**Skin Contact:** May cause irritant skin reaction.

**Inhalation:** Granules within desiccant packet are considered nontoxic.

**Ingestion:** May cause irritant conditions if swallowed.

**Target Organ Effects:** None

**Chronic Effects:** None

Medical Conditions Aggravated by Exposure: N/A

Acute Toxicity Values: N/A

### Section 12: Ecological Information\* (non-mandatory)

- No ecological information available

### Section 13: Disposal Considerations\* (non-mandatory)

Appropriate Methods of Disposal	Device itself may be disposed as solid waste. Devices tested with patient samples should be handled as potentially biohazardous materials in accordance with Federal, State, and Local Requirements.
---------------------------------	--

### Section 14: Transport Information\* (non-mandatory)

Transport Precautions	Consult applicable regulation when transporting this product
Additional Information	Follow the instructed guidelines listed in package for proper transportation.

### Section 15: Regulatory Information\* (non-mandatory)

Not restricted for safety reasons

### Section 16: Other Information

**Other Precautions:** No other precautions needed. Clarity Diagnostics provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the materials contained in this kit by a properly trained person using this product. Clarity Diagnostics shall not be held liable for any damage resulting from handling or use.

\*Note: Since other Agencies regulate this information, OSHA will not be enforcing Sections 12 through 15(29 CFR 1910.1200(g)(2)).