

CLARITY

1701 Green Rd, Suite A Deerfield Beach, FL 33064

Nationwide: (877) 722-6339

Local: (561) 288-9028

Fax: (561) 288-3929

<http://www.claritydiagnostics.com>

Safety Data Sheet

Section 1: Identification

Product Name: Clarity Urine Controls

Synonyms: CD-UCTL30

CAS Number: 26628-22-8

Manufacturer: Clarity Diagnostics, LLC

Address: 1701 Green Rd, Suite A Deerfield Beach, FL 33064

Contact: 1(877) 722-6339

Recommended use: For the semi-quantitative and qualitative detection of HCG in Urine, as well as Semi-quantitative (Dipstick) assay color reactions.

Section 2: Hazard(s) Identification

GHS Classification:

Health	Environmental	Physical
N/A	N/A	Pale Liquid

GHS Label:

Symbols	
Hazard Statements Non Flammable Not Fatal if inhaled Causes irritant skin	Precautionary Statements Very Toxic if Swallowed Contact with acid liberates very toxic gases Do not breathe vapors Wear protective eye and face protection Wear gloves. Store at room temperature

Section 3: Composition / Information on Ingredients

Effective Date :06-29-2017

Component	CAS Number	Weight
Sodium Azide	26628-22-8	.1
See Section 8 For Exposure Limits		

Section 4: First-Aid Measures

Skin: In case of contact. Flush with copious amounts of water for at least 15 minutes. Remove contaminated clothing and shoes. Call a physician.

Inhalation: Remove to Fresh Air. If breathing becomes difficult, refer to a physician

Ingestion: Wash out mouth with water provided person is conscious. Call a physician.

Section 5: Fire-Fighting Measures

Suitable Extinguishing Media: Use Media appropriate for surrounded materials

Fire Fighting Procedures: Small fire: Use DRY chemical powder. Large Fire: Use Water Spray, Fog, or Foam. Do Not use water jet.

Unusual Fire and Explosion Hazards: None Known

Combustion Products: None known

Section 6: Accidental Release Measures

Accidental release measures: Wear respirator, chemical safety goggles, rubber boots and heavy rubber gloves. Ventilate area and wash spill site after material pick up is complete.

Section 7: Handling and Storage

Handling: NIOSH/MSHA approved respirator. Mechanical exhaust required. Compatible chemical-resistant gloves. Chemical safety goggles. Potentially biohazards material.

Storage: Keep container dry. Keep in a cool place. Ground all equipment containing material. Keep container tightly closed. Keep in cool, well-ventilated place. Highly toxic or infectious materials should be stored in a separate locked safety storage cabinet or room.

Section 8: Exposure Controls/Personal Protection

Exposure Limits: Consult local authorities for acceptable exposure limits.

Engineering Controls: Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

Personal Protective Equipment (PPE): Splash goggles. Lab coat. Dust respirator. Be sure to use an approved/certified respirator or equivalent. Gloves.

Section 9: Physical and Chemical Properties

Flashpoint: N.A
Auto ignition Temperature:N.A.
Boiling Point: N.A
Melting Point:<0.1
Vapor Pressure:<0.1

Vapor Density (Air=1):
% Solubility in Water:N.A.

Pour Point: Not Available
Molecular Formula:N.A.
Odor/Appearance:None Known

Lower Flammability Limit:N.A.
Upper Flammability Limit:N.A
Specific Gravity:1.846 (Water=1)
% Volatile: N.A.
Evaporation Rate (Water=1): N.A.
Viscosity:Not Available.
Octanol/Water Partition Coefficient:Not Available
pH:Not Available
Molecular Weight: 65.02 g/mole

Section 10: Stability and Reactivity

Stability and reactivity:This product is stable up to the expiration date printed on the label if kept at 35.6-46.4°F (2-8°C) Non- reactive within this kit.

Hazardous Reactions/Decomposition Products: Will not occur/None known

Section 11: Toxicological Information

Signs and Symptoms of Overexposure: No effects of overexposure

Acute Effects:

Eye Contact: May cause conjunctival irritation.

Skin Contact: May cause reddening. May cause irritant skin reaction.

Inhalation: Not Considered Health Risk

Ingestion: May cause irritant conditions if swallowed.

Target Organ Effects: None

Chronic Effects: None

Medical Conditions Aggravated by Exposure: N/A

Acute Toxicity Values: N/A

Section 12: Ecological Information* (non-mandatory)

- No ecological information available

Section 13: Disposal Considerations* (non-mandatory)

Appropriate Methods of Disposal

The above product contains 0.10% Sodium Azide as preservative. Best disposal method for biological material containing sodium Azide is to wash it down the sewer with large excess of water. Disposal should be made in accordance with existing disposal practices. Observe all Federal, State and Local law.

Section 14: Transport Information* (non-mandatory)

Transport Precautions	Consult applicable regulation when transporting this product
Additional Information	Follow the instructed guidelines listed in package for proper transportation.

Section 15: Regulatory Information* (non-mandatory)

Federal and State Regulations	The FDA and CDC emphasize the importance of practicing good microbiological laboratory techniques when handling products manufactured from human source materials. The FDA recommends the use of Biosafety Level 2 techniques prescribed in the CDC/NIH manual of "Biosafety in Microbiological and Biochemical Laboratories, 1984." It is known that some materials negative for HbsAg by radioimmunoassay is potentially infectious and should be treated as if capable of infecting the handlers. The possibility of contracting Human Immunodeficiency Virus (HIV - 1) infection from human material should be taken seriously. Hepatitis virus or other infectious agents are absent from the materials used in the production of in vitro diagnostic products. However, it must be noted, "there has been no known reported cases of HIV - 1 transmission by contact with in vitro diagnostic products" (FDA letter of December 6, 1985).
Other Regulations	OSHA; Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200)
Risk Phrases	None
Additional Information	Consult country codes for specific requirements

Section 16: Other Information

Other Precautions: No other precautions needed. Clarity Diagnostics provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the materials contained in this kit by a properly trained person using this product. Clarity Diagnostics shall not be

Effective Date : 06-29-2017

held liable for any damage resulting from handling or use.

**WARNING: HANDLE AS IF CAPABLE OF TRANSMITTING HEPATITIS FOR IN VITRO
DIAGNOSTIC USE ONLY NOT FOR INTERNAL USE BY HUMANS OR ANIMALS**

*Note: Since other Agencies regulate this information, OSHA will not be enforcing Sections 12 through 15(29 CFR 1910.1200(g)(2)).

Effective Date :06-29-2017