

CLARITY

1701 Green Rd, Suite A Deerfield Beach, FL 33064

Nationwide: (877) 722-6339

Local: (561) 288-9028

Fax: (561) 288-3929

<http://www.claritydiagnostics.com>

Safety Data Sheet

Section 1: Identification

Product Name: Clarity Urocheck 120C Urine Analyzer

Synonyms: CLA-120C

CAS Number: N/A

Manufacturer: Clarity Diagnostics, LLC

Address: 1701 Green Rd, Suite A Deerfield Beach, FL 33064

Contact: 1(877) 722-6339

Recommended use: Along with a urine test strip, the Clarity urine analyzer (CLIA Waived) is intended to read Clarity urinalysis reagent strips.

Section 2: Hazard(s) Identification

GHS Classification:

Health	Environmental	Physical
N/A	N/A	N/A

GHS Label:

Symbols	Hazard Statements	Precautionary Statements
	Non Flammable	Store at room temperature

Section 3: Composition/Information on Ingredients

Component	CAS Number	Weight
N/A	N/A	N/A

See Section 8 For Exposure Limits

Section 4: First -Aid Measures

Skin: None.

Eye: None

Inhalation: None

Ingestion:None.

Medical Information: None

Section 5: Fire -Fight ing Measures

Suitable Extinguishing Media: None known

Fire Fighting Procedures: Use CO₂, Foam, or Water.

Unusual Fire and Explosion Hazards: None Known

Combustion Products: None known

Section 6: Accidental Release Measures

Accidental release measures: There is no current leakage potential under normal use.

Section 7: Handling and Storage

Handling: Handle as directed in the package insert.

Storage: Keep in a cool place (20 C-25.6 F). Do not expose to direct light.

Section 8: Exposure Controls/P ersonal Protection

Exposure Limits: None.

Engineering Controls: None.

Personal Protective Equipment (PPE): None.

Ventilation: Normal

Section 9: Physical and Chemical Properties

Flashpoint: N.A

Auto ignition Temperature:N.A.

Boiling Point: N.A

Melting Point:<0.1

Vapor Pressure:<0.1

Vapor Density (Air=1):

% Solubility in Water:N.A.

Pour Point: Not Available

Molecular Formula:N.A.

Odor/Appearance:None Known

Lower Flammability Limit:N.A.

Upper Flammability Limit:N.A

Specific Gravity:= N.A. (Water=1)

% Volatile: N.A.

Evaporation Rate (Water=1): N.A.

Viscosity:Not Available.

Octanol/Water Partition Coefficient:Not Available

pH:Not Available

Molecular Weight: N/A

Section 10: Stability and Reactivity

Stability and reactivity: This product is stable up to the expiration date printed on the label if kept at 35.6-46.4 F (2-8 C) Non- reactive within this kit.

Hazardous Reactions/Decomposition Products: Will not occur/None known

Section 11: Toxicological Information

Signs and Symptoms of Overexposure: No effects of overexposure

Acute Effects:

Eye Contact: N/A.

Skin Contact: N/A.

Inhalation: N/A

Ingestion: N/A.

Target Organ Effects: None

Chronic Effects: None

Medical Conditions Aggravated by Exposure: N/A

Acute Toxicity Values: N/A

Section 12: Ecological Info

rmation * (non - mandatory)

No ecological information available

Section 13: Disposal Considerations * (non - mandatory)

Appropriate Methods of Disposal	Disposal should be made in accordance with existing disposal practices. Observe all Federal, State and Local law requirements.
European Community (EC) Consideration	Use appropriate waste codes based on ingredients.

Section 14: Transport Information * (non - mandatory)

Transport Precautions	Consult applicable regulation when transporting this product
Additional Information	Follow the instructed guidelines listed in package for proper transportation.

Section 15: Regulatory Information * (non - mandatory)

European Labeling in accordance with EC Directives	
Hazard Symbols	N.A
Safety Phrases	Keep out of the reach of children
Risk Phrases	None
Additional Information	Consult country codes for specific requirements

Section 16: Other Information

Other Precautions: No other precautions needed. Clarity Diagnostics provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the materials contained in this kit by a properly trained person using this product. Clarity Diagnostics shall not be held liable for any damage resulting from handling or use.

*Note: Since other Agencies regulate this information, OSHA will not be enforcing Sections 12 through 15(29 CFR 1910.1200(g)(2)).